



a great british company

SAFETY DATA SHEET

ARIEL Ultra Oxi Colour Stain Remover Powder Biological

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ARIEL Ultra Oxi Colour Stain Remover Powder Biological
Product number BLE478
UFI UFI: M1A1-T0MG-D00C-KU11

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laundry Stain Remover
Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier Star Brands Limited
Unit E
Millshaw Business Living
Global Avenue
Leeds
LS11 8PR
England
+44 (0) 113 2666 300
+44 (0) 113 2666 690
sds@starbrandsltd.co.uk

Contact person sds@starbrandsltd.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 113 2666 300 (09.00-17.00 Mon-Fri)
National emergency telephone number 111 (24hours UK)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Eye Dam. 1 - H318
Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

ARIEL Ultra Oxi Colour Stain Remover Powder Biological

Hazard statements	H318 Causes serious eye damage.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P501 Dispose of contents/ container in accordance with local regulations.
Contains	Sodium Percarbonate, Sodium dodecylbenzene sulphonate

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Sodium Sulphate	30-60%
CAS number: 7757-82-6	EC number: 231-820-9
Classification Not Classified	
sodium carbonate	10-30%
CAS number: 497-19-8	EC number: 207-838-8
Classification Eye Irrit. 2 - H319	
Sodium Percarbonate	10-30%
CAS number: 15630-89-4	EC number: 239-707-6
Classification Ox. Sol. 2 - H272 Acute Tox. 4 - H302 Eye Dam. 1 - H318	
Sodium dodecylbenzene sulphonate	1-5%
CAS number: 68411-30-3	EC number: 270-115-0
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412	

ARIEL Ultra Oxi Colour Stain Remover Powder Biological

SUBTILISIN	<1%
CAS number: 9014-01-1	EC number: 232-752-2
M factor (Acute) = 1	
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Resp. Sens. 1 - H334 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Keep affected person warm and at rest. Do not induce vomiting unless under the direction of medical personnel. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues. If in doubt, get medical attention promptly.
Skin contact	Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention if symptoms are severe or persist.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse cautiously with water for several minutes. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

General information	The product is considered to be a low hazard under normal conditions of use. See Section 11 for additional information on health hazards.
Inhalation	The product is considered to be a low hazard under normal conditions of use.
Ingestion	The product is considered to be a low hazard under normal conditions of use. May be harmful if swallowed.
Skin contact	Prolonged skin contact may cause temporary irritation. Skin irritation should not occur when used as recommended.
Eye contact	May cause discomfort.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
Specific treatments	No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt GET MEDICAL ATTENTION PROMPTLY!

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Extinguish with the following media: Foam, carbon dioxide or dry powder.
-------------------------------------	--

5.2. Special hazards arising from the substance or mixture

Specific hazards	The product is non-combustible. The product is not flammable.
-------------------------	---

ARIEL Ultra Oxi Colour Stain Remover Powder Biological

Hazardous combustion products Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of vapours. Avoid contact with eyes and prolonged skin contact. Use recommended protective equipment, see section 8.
Ensure good ventilation.

For non-emergency personnel Remove persons for safety reasons

For emergency responders Wear breathing apparatus if exposed to vapours/spray/gases

6.2. Environmental precautions

Environmental precautions Not considered to be a significant hazard due to the small quantities used. Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Dispose of contents/container in accordance with local regulations.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with eyes and prolonged skin contact. Avoid inhalation of vapours and spray/mists. Provide adequate ventilation.

Advice on general occupational hygiene When using do not eat, drink or smoke. Wash contaminated skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions This product should be kept inaccessible to small children and well separated from products intended to be consumed. Store cool and only in original packaging.

Storage class Unspecified storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Sodium Percarbonate

Long-term exposure limit (8-hour TWA): 4 mg/m³

SUBTILISIN

Long-term exposure limit (8-hour TWA): WEL 0.00004mg/m³

Sen = Capable of causing occupational asthma

ARIEL Ultra Oxi Colour Stain Remover Powder Biological

sodium carbonate (CAS: 497-19-8)

DNEL Industry - Inhalation; Long term local effects: 10 mg/m³
Consumer - Inhalation; Short term local effects: 10 mg/m³

Sodium Percarbonate (CAS: 15630-89-4)

DNEL - Workers, Dermal, Short-term exposure, 12.8 mg/cm² , Local effects
- Workers, Inhalation, Long-term exposure, 5 mg/m³ , Local effects
- Consumers, Dermal, Short-term exposure, 6.4 mg/cm² , Local effects

PNEC - Fresh water, 35 µg/l
- Fresh water sediment, 10 µg/l
- Sewage treatment plants, 16 mg/l

Sodium dodecylbenzene sulphonate (CAS: 68411-30-3)

PNEC Freshwater (intermittent releases): 0.017 mg/L

SUBTILISIN (CAS: 9014-01-1)

DMEL Workers - Inhalation; Long term local effects: 0.06 mg/m³
Professional, Consumer - Inhalation; Long term local effects, local effects: 0.015 mg/m³

PNEC Fresh water; 0.06 mg/l
marine water; 0.006 mg/l
STP; 65000 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Avoid inhalation of vapours and spray/mists. Provide adequate ventilation.

Eye/face protection

Wear eye protection.

Hand protection

Wear protective gloves made of the following material: Nitrile Gloves Nitrile rubber. Polyvinyl chloride (PVC). It should have a minimum thickness of 0.55mm Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash hands thoroughly after handling. Do not smoke in work area.

Respiratory protection

No specific requirements are anticipated under normal conditions of use.

Environmental exposure controls

Ensure all engineering measures mentioned in section 7 of this SDS are in place

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Powder.

ARIEL Ultra Oxi Colour Stain Remover Powder Biological

Colour	Green. White.
Odour	Fragrant.
Odour threshold	No specific test data are available.
pH	pH (diluted solution): ~10.95 in 4% solution
Melting point	Not applicable.
Initial boiling point and range	Not available.
Flash point	This product does not sustain combustion.
Evaporation rate	No information available.
Evaporation factor	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Other flammability	Not applicable.
Vapour pressure	Not known.
Vapour density	Not known.
Relative density	1.000 - 1.200 g/ml
Bulk density	Not determined.
Solubility(ies)	Soluble in water.
Partition coefficient	Data lacking.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not determined.
Viscosity	Not applicable.
Explosive properties	Not applicable.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
Comments	Information given is applicable to the product as supplied.
<u>9.2. Other information</u>	
Refractive index	No information required.
Particle size	No specific test data are available.
Molecular weight	No information required.
Volatility	Not available.
Saturation concentration	Not applicable.
Critical temperature	Not applicable.
Volatile organic compound	No information required.

SECTION 10: Stability and reactivity

ARIEL Ultra Oxi Colour Stain Remover Powder Biological

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 3,559.62

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

ARIEL Ultra Oxi Colour Stain Remover Powder Biological

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on the available information, classification criteria are not met.

Toxicological information on ingredients.

Sodium Sulphate

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 6 g/kg, Oral, Mouse

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Slightly irritating.

sodium carbonate

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 2,800 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ 2,000 mg/kg, Dermal, Rat

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC₅₀ 2.300 mg/l, Inhalation, Rat

Sodium Percarbonate

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,034.0

Species Rat

ATE oral (mg/kg) 1,034.0

Sodium dodecylbenzene sulphonate

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,020.0

Species Rat

ATE oral (mg/kg) 1,020.0

ARIEL Ultra Oxi Colour Stain Remover Powder Biological

SUBTILISIN

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,800.0

Species Rat

ATE oral (mg/kg) 500.0

SECTION 12: Ecological information

12.1. Toxicity

Toxicity The product contains a substance which is harmful to aquatic organisms.

Ecological information on ingredients.

Sodium Sulphate

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 120 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 4580 mg/l, Daphnia magna

Acute toxicity - microorganisms EC₅₀, 16 hours: 1000 mg/l, Pseudomonas putida

sodium carbonate

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 300 mg/l, Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 265 mg/l, Daphnia magna

Sodium Percarbonate

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 70.7 : mg/l,

Acute toxicity - aquatic invertebrates EC₅₀, 4.9 : mg/l, Daphnia magna

Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOEC, 7.4 : mg/l, Pimephales promelas (Fat-head Minnow)

Sodium dodecylbenzene sulphonate

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 1 : 5 mg/l,

Chronic aquatic toxicity

Chronic toxicity - fish early life stage LC₅₀, 1 : 5 mg/l, Fish

Chronic toxicity - aquatic invertebrates EC₅₀, 5 : 15 mg/l, Daphnia magna

ARIEL Ultra Oxi Colour Stain Remover Powder Biological

SUBTILISIN

Acute aquatic toxicity

LE(C) ₅₀	0.1 < L(E)C ₅₀ ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hours: 8.2 mg/l, Fish

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

Ecological information on ingredients.

Sodium Sulphate

Persistence and degradability The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient Data lacking.

Ecological information on ingredients.

Sodium Sulphate

Bioaccumulative potential The product is not bioaccumulating.

12.4. Mobility in soil

Mobility The product is miscible with water and may spread in water systems.

Ecological information on ingredients.

Sodium Sulphate

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

Ecological information on ingredients.

Sodium Sulphate

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Dispose of waste product or used containers in accordance with local regulations

ARIEL Ultra Oxi Colour Stain Remover Powder Biological

Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Waste class	The waste code classification is to be carried out according to the European Waste Catalogue (EWC).

SECTION 14: Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
Road transport notes	Not regulated.
Rail transport notes	Not regulated.
Sea transport notes	Not classified.
Air transport notes	Not classified.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Ensure that persons transporting the product know what to do in the event of an accident or spillage. Always transport in closed containers that are upright and secure.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
-----------------------	--

15.2. Chemical safety assessment

ARIEL Ultra Oxi Colour Stain Remover Powder Biological

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<p>ATE: Acute Toxicity Estimate.</p> <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</p> <p>CAS: Chemical Abstracts Service.</p> <p>DNEL: Derived No Effect Level.</p> <p>GHS: Globally Harmonized System.</p> <p>LC₅₀: Lethal Concentration to 50 % of a test population.</p> <p>LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).</p> <p>PNEC: Predicted No Effect Concentration.</p> <p>REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.</p> <p>SVHC: Substances of Very High Concern.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p> <p>IARC: International Agency for Research on Cancer.</p> <p>MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.</p> <p>cATpE: Converted Acute Toxicity Point Estimate.</p> <p>EC₅₀: 50% of maximal Effective Concentration.</p> <p>LOAEC: Lowest Observed Adverse Effect Concentration.</p> <p>LOAEL: Lowest Observed Adverse Effect Level.</p> <p>LOEC: Lowest Observed Effect Concentration.</p> <p>DMEL: Derived Minimal Effect Level.</p> <p>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.</p> <p>IATA: International Air Transport Association.</p> <p>IMDG: International Maritime Dangerous Goods.</p>
Classification abbreviations and acronyms	<p>Acute Tox. = Acute toxicity</p> <p>Aquatic Acute = Hazardous to the aquatic environment (acute)</p> <p>Aquatic Chronic = Hazardous to the aquatic environment (chronic)</p> <p>Asp. Tox. = Aspiration hazard</p> <p>Carc. = Carcinogenicity</p> <p>STOT RE = Specific target organ toxicity-repeated exposure</p> <p>STOT SE = Specific target organ toxicity-single exposure</p> <p>Eye Dam. = Serious eye damage</p> <p>Met. Corr. = Corrosive to metals</p> <p>Skin Corr. = Skin corrosion</p> <p>Skin Irrit. = Skin irritation</p> <p>Skin Sens. = Skin sensitisation</p>
Revision date	27/11/2019
Revision	2
Supersedes date	29/10/2014
SDS number	6011

ARIEL Ultra Oxi Colour Stain Remover Powder Biological

Hazard statements in full	H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
----------------------------------	---